

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG76) ZONE DESCRIPTION -8H DATE TUESDAY 15 FEBRUARY 19 72
(Day) (Date) (Month)

*P/PASSAGE FROM SUBIC BAY, P.I. TO DA NANG, VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16°06.5'N</u> BY <u>3</u>		
<u>λ 101°12.3'E</u> BY <u>3</u>		

POSITION	ZONE	TIME
1200		
L <u>16°06.5'N</u> BY <u>3</u>		
<u>λ 101°12.8'E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L <u>15°28'N</u> BY <u>2</u>		
<u>λ 101°50'E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH CINCPACFLT QUARTERLY
OPKED STEAMING INDEPENDENTLY, ENROUTE FROM SUBIC BAY
REPUBLIC OF THE PHILIPPINES TO DANANG, REPUBLIC OF VIETNAM.
SOFA AND QTC IS COMMANDER DESTROYER SQUADRON THIRTY
THREE EMBARKED IN THIS UNIT. THE SHIP IS ON COURSE
279, SPEED 16.5 KTS. CONDITION OF READINESS FOUR AND
MATERIAL CONDITION YOKO ARE SET. THE SHIP IS DARKENED EXCEPT
FOR NORMAL RUNNING LIGHTS 0245 C/S 12 KTS. 0325 C/S 299,
C/S 10 KTS.

W.A. Wise

W.A. WISE, LT. USN

04-08 UNDERWAY AS BEFORE. 0402 C/S 7 KTS. 0443 C/S 290°
0516 C/S 270° C/S 8 KTS. 0530 WENT TO GENERAL
QUARTERS. THE CAPTAIN, EXECUTIVE OFFICER
AND NAVIGATOR ARE ON THE BRIDGE. COMMENCED
MANEUVERING AT VARIOUS COURSES AND SPEEDS
WHILE ENTERING DA NANG HARBOR. 0630
ANCHORED AT DA NANG HARBOR ANCHORAGE
TWO, SECURED FROM GENERAL QUARTERS.
SET THE ANCHOR WATCH AND ANTI SAPPER
DETAIL. SOFA IS COMMANDER DESTROYER
SQUADRON THIRTEEN EMBARKED UPON
USS ISBELL (DD869)

D.M. Reynerson
D.M. REYNERSON
LT USN

08-12 ANCHORED AS BEFORE. 0740 MUSTERED THE CREW ON
STATION. 1000 NEW ABSESSURES

J.A. Phelan
J.A. PHELAN
LT USN

13-16 ANCHORED AS BEFORE. 1337 SET THE SPECIAL SEA AND ANCHOR
DETAIL. 1351 UNDERWAY. MANEUVERED AT VARIOUS COURSES AND
SPEEDS TO CLEAR DANANG HARBOR. 1421 SET COURSE 090° SP 22 KTS.
1424 C/S 22 KTS. 1437 C/S 25 KTS. 1556 COMMENCED TEST FIRING MT.
52. 1558 CEASED FIRE, FIVE ROUNDS EXPENDED (FULL CHARGE). 1644
C/S 143. STATIONED THE REFUELING DETAIL. 1653 MANEUVERED AT
VARIOUS COURSES AND SPEEDS WHILE MAKING AN APPROACH ON USS
CALIENTE (AO-53). 1729 ALONGSIDE STARBOARD SIDE OF USS
CALIENTE. FIRST LINE OVER. MANEUVERED AT VARIOUS COURSES
AND SPEEDS TO MAINTAIN STATION BASE COURSE 145° BASE SPEED
12 KTS. 1736 COMMENCED PUMPING. 1805 SECURED PUMPING.

EXAMINED

K.E. Wilson U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (ANG-16)

DATE TUESDAY 15 FEB 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 (CONTINUED) 1820 ALL LINES CLEAR. RECEIVED 236, 72, 853 ^{WAW}
GALLONS. NSFO. 4/5 25 KTS. 4/5 267, 1822 4/5 20 KTS. 1915 4/5
310.

W.A. Wise
W.A. WISE LT. USN

16-22 UNDERWAY AS BEFORE. 1918 4/5 326°, 1940 4/5 315°,
1954 4/5 285°, 2014 4/5 355°, 2028 4/5 330°, 2045
4/5 320°, 2109 4/5 140°, 4/5 10 KTS. 2113 4/5 5 KTS.
2216 4/5 3 KTS.

D.M. Reynerson
D.M. REYNERSON
LT USN

22-24 UNDERWAY AS BEFORE. 2225 4/5 10 KTS,
4/5 320°. 2227 4/5 3 KTS. 2344 4/5 140°
4/5 10 KTS. 2350 4/5 3 KTS.

J.A. Phalen
J.A. PHALEN
LT USN

EXAMINED:

J.C. Wilson

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16) ZONE DESCRIPTION -8H DATE Wednesday, 16 February, 1972
(Day) (Date) (Month)

AT/PASSAGE FROM I MR REPUBLIC OF VIETNAM TO _____

POSITION	ZONE	TIME
0800		
L <u>18° 28.5'N</u>	BY <u>2.3</u>	
λ <u>101° 45.8'E</u>	BY <u>2.3</u>	

POSITION	ZONE	TIME
1200		
L <u>15° 28'N</u>	BY <u>2</u>	
λ <u>108° 45.2'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>15° 32'N</u>	BY <u>2</u>	
λ <u>101° 44.5'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~04-04~~ UNDERWAY IN ACCORDANCE WITH CONVENTIONAL QUARTERLY
employment schedule OPERATING IN WATERS OFF
THE COAST OF I MR. REPUBLIC OF VIETNAM AS A UNIT
OF TU 708.9. THIS SHIP IS STEAMING A TRACK PARALLEL
TO THE COASTLINE AND 4 MILES DISTANT FROM VUNG AN
HOA NEAR CHU LAI. SOPA AND OTC IS CHU 708.9
EMBARKED ON THIS SHIP. CONDITION OF READINESS
THREE AND MATERIAL CONDITION YOKO IS SET. THE
SHIP IS DARKENED EXCEPT FOR NAVIGATION LIGHTS. STEAM-
ING ON COURSES 140° AND 320° AT 3 KTS TO CONFORM
TO NAVIGATORS TRACK OFF PT. DOLLY RVNA
J.A. Phalen
J.A. Phalen
LT USN

04-07 UNDERWAY AS BEFORE. 0404 γ 147 0535 γ 130 KTS. γ 320
0540 γ 10 KTS. 3 KTS. 0632 γ 6 KTS. γ 186 0635 γ 177

J.A. Phalen

W.A. WISE LT USN

07-12 UNDERWAY AS BEFORE. 0702 γ 170° 0712 γ 3 KTS
0730 γ 2 KTS. 0804 γ 10 KTS. γ 320° 0808 γ 2 KTS
0831 γ 140° 0843 γ 0900 γ 3 KTS. 0850
RECEIVED THE DAILY MUSTER REPORT; NO NEW
UNAUTHORIZED ABSENTEES. 0923 γ 10 KTS.
 γ 320° 0927 γ 3 KTS. 1007 γ 200°
1012 γ 195° 1023 γ 180° 1028 γ 140° γ 2 KTS
1053 γ 10 KTS. γ 320° 1055 γ 3 KTS. 1135 γ 2 KTS

P.M. REYNOLSON
LT USN

12-17 UNDERWAY AS BEFORE. 1305 γ 10 KTS. γ 280°
1307 γ 2 KTS. 1328 γ 10 KTS. γ 135° 1348 γ 1 KTS
1405 γ 10 KTS. γ 315° 1409 γ 1 KTS. 1423 γ 2 KTS.
1449 γ 135° 1522 γ 045° γ 10 KTS. 1525 γ 3 KTS.
1528 γ 320° 1609 γ 140° γ 10 KTS. 1613 γ 3 KTS.
1622 γ 2 KTS. γ 050°

J.A. Phalen
J.A. Phalen
LT USN

EXAMINED

R.C. Wilson Ltjg

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

DATE Wed 16 FEB 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

17-22 UNDERWAY AS BEFORE, 1715 $\% 230^{\circ}$ 1748 $\% 305$
 $\% 320^{\circ}$ 1931 $\% 120^{\circ}$ 1935 $\% 140^{\circ}$
2118 $\% 320^{\circ}$

L. A. Tien
W. A. WISE
LT USN

22-24 UNDERWAY AS BEFORE, 2254 $\% 135^{\circ}$
2355 $\% 130^{\circ}$

D. M. REYNOLSON
LT USN

EXAMINED:

T. C. Wilson LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DD-114) ZONE DESCRIPTION -8H DATE THURSDAY 17 FEBRUARY, 19 72

AT/PASSAGE FROM I MR REPUBLIC OF VIETNAM

POSITION	ZONE	TIME
0800		
L <u>15° 30.6' N</u>	BY <u>Z</u>	
<u>λ 108° 46.1' E</u>	BY <u>Z</u>	

POSITION	ZONE	TIME
1200		
L <u>15° 26.2' N</u>	BY <u>Z</u>	
<u>λ 108° 51.4' E</u>	BY <u>Z</u>	

POSITION	ZONE	TIME
2000		
L <u>15° 49' N</u>	BY <u>Z</u>	
<u>λ 108° 50' E</u>	BY <u>Z</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT
QUARTERLY EMPLOYMENT SCHEDULE OPERATING
IN WATERS OFF THE COAST OF I MR REPUBLIC
OF VIETNAM AS A UNIT OF TV 708.8.9 THE
SHIP IS STEAMING A TRACK PARALLEL TO
THE COASTLINE AND 4 MILES DISTANCE
FROM VUNG AN HOA NEAR CHU LAI. SOPA
AND OTC IS CTU 708.8.9 EMBARKED ON THIS
SHIP. CONDITION OF READINESS IS THREE
AND MATERIAL CONDITION YOKE IS SET.
THE SHIP IS DARKENED EXCEPT FOR
NAVIGATION LIGHTS. STEERING COURSE
130° AT 3KTS. 0427 % 135° 0443 % 140°
0410 % 310° 0418 % 320° 0437 % 310°
0457 % 320° 0245 % 135°

D. M. REINERSON
LT USN

04-07 UNDERWAY AS BEFORE. 0432 C/C 160° 0434 C/C 140°
0449 C/S 10 KTS. C/S 0450 0454 C/C 310° C/S 3KTS 0459
C/C 308° 0517 C/C 307° 0527 C/C 303 0543 C/S 3KTS
06KTS 0544 C/S 3KTS. 0604 C/C 140° 0655 C/S 0KTS
0700 C/S 3KTS.

J. A. PHELAN
LT USN

07-12 UNDERWAY AS BEFORE. 0701 COMMENCED SOUNDING FOG SIGNALS.
0825 C/C 318. 0902 C/C 280. 1006 C/S 5 KTS. 1007 SECURED
FROM SOUNDING FOG SIGNALS. VISIBILITY UNRESTRICTED. C/C 268
1010 C/S 10 KTS 1022 4SP 5KTS. 1027 C/C 295 C/S 3KTS. 1047
COMMENCED FIRE MTS. 51 AND 52. 1103 CEASED FIRE 5 RDS
WITH FULL SERVICE CHARGES EXPENDED. 1105 C/C 120 C/S 10KTS.
1109 C/S 15 KTS 1116 C/C 22 KTS.

W. A. WISE
LT USN

12-17 UNDERWAY AS BEFORE. 1211 % 134° 1230 % 180° %
10KTS. 1337 % 343° 1347 % 3KTS. 1348 % 10KTS
% 090° 1356 % 343° % 3KTS. 1423 COMMENCED
FIRING MT. 51 TO STBD. FIRE DIRECTED AT
TARGETS LOCATED APPROX. 1KM INLAND AND
SOUTH OF MY LAI. FIRE DIRECTED BY

EXAMINED

W. A. WISE

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDC-16)

DATE THURS. 17 Feb. 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

12-17 (CONTINUED) SPOTTER AIRCRAFT, 1443 CEASED FIRING. AMMUNITION EXPENDED: 96 ROUNDS 5"/54 CAL. HIGH EXPLOSIVE PROJECTILES WITH 96 ROUNDS FULL SERVICE SMOKELESS POWDER CARTRIDGES WITH NO CASUALTIES. DAMAGE EVALUATION: 3 BUNKERS DESTROYED, 2 MILITARY STRUCTURES DESTROYED, 1 SECONDARY EXPLOSION. 1447 @ 163° 1513 @ 10 KTS. 1515 @ 15 KTS 1517 @ 20 KTS. 1518 @ 25 KTS. 1544 @ 26.5 KTS. 1611 @ 27 KTS. 1614 @ 333° 1631 @ 25 KTS.

R. M. REINERSON
LT USN

17-22 UNDERWAY AS BEFORE. 1740 @ 320° 1809 SGT THE SPECIAL SEA AND REPLENISHMENT DETAIL COMMENCED PREPARATIONS FOR REFUELING AND REPLENISHMENT FROM USS WICHITA (AORL). 1814 MANEUVERING TO TAKE STATION ASTERN USS WICHITA (AORL). 1833 ON STATION, REPLENISHMENT COURSE 140° SPEED 12 KTS. 1827 COMMENCED APPROACH, COMMODORE, CAPTAIN, EXECUTIVE OFFICER AND NAVIGATOR ON THE BRIDGE. 1833 ON STATION ALONGSIDE STARBOARD SIDE OF WICHITA. 1837 FIRST LINE OVER. 1843 RECEIVED FIRST FUEL HOSE. 1848 COMMENCED RECEIVING FUEL. 1856 COMMENCED TRANSFERRING AMMUNITION. 1905 FUELING COMPLETED. 1908 COMPLETED TRANSFERRING AMMUNITION, HAVING RECEIVED FROM USS WICHITA (AORL) 370° ROUNDS 5"/54 CAL. PROJECTILES, 312 5"/54 CAL. POWDER CASES. 2010 ALL LINES AND HOSES CLEAR. MANEUVERING TO CLEAR STARBOARD SIDE OF WICHITA. 2012 CLEAR OF WICHITA. 2027 SECURED THE REPLENISHMENT DETAIL. 2030 COURSE 210° SPEED 15 KTS. 2113 @ 3 KTS. 2115 @ 125° 2132 @ 165°

J. A. PHELPS
LT USN

22-24 UNDERWAY AS BEFORE. 2230 @ 320°

W. A. WISE
LT USN

EXAMINED:

J. E. Wilson LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DD-310) ONE DESCRIPTION - 811 DATE FRIDAY 19 FEBRUARY, 19 72
(Day) (Date) (Month)

AT/PASSAGE FROM I MR, REPUBLIC OF VIETNAM TO

POSITION	ZONE	TIME
0800		
L 15° 32.5' N	BY 2	
λ 101° 45.2' E	BY 2	

POSITION	ZONE	TIME
1200		
L 15° 13.8' N	BY 2	
λ 102° 04.5' E	BY 2	

POSITION	ZONE	TIME
2000		
L 15° 32' N	BY 2	
λ 102° 45' E	BY 2	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT
QUARTERLY EMPLOYMENT SCHEDULE. OPERATING IN WATERS
OFF THE COAST OF I MR REPUBLIC OF VIETNAM AS
A UNIT OF TU 70.8.9. THE SHIP IS STEAMING A
TRACK PARALLEL TO THE COASTLINE AND FOUR MILES
DISTANCE FROM VUNG AN HOA NEAR CHU LAT. SOPA AND
OTC IS COMDESON 33 EMBARKED IN THIS SHIP. CONDITION OF
READINESS IS THREE AND MATERIAL CONDITION YOKE IS SET.
THE SHIP IS DARKENED EXCEPT FOR NAVIGATIONAL LIGHTS.
STEERING COURSE 325 SP 3 KTS. 0004 C/L 140. 0209
C/L 320.

W.A. Wise

W.A. WISE LT, USN

04-07 UNDERWAY AS BEFORE. 0337 C/L 145. 0539 C/L 320.

D.M. Reynerson

D.M. REYNERSON

LT USN

07-12 UNDERWAY AS BEFORE. 0703 C/L 140. 0740 MUSTERED
THE CREW AT QUARTERS. NO NEW ABSENTEES. 0911
C/L 320. 1004 C/L 132. 1008 C/L 132. 1031 C/L
132. 1054 C/L 110. 1057 C/L 132. 1058 C/L 12 KTS.
1105 C/L 134. 1126 C/L 180. 1201 C/L 10 KTS.

J.A. Phelan

J.A. PHELAN

LT USN

12-17 UNDERWAY AS BEFORE. 1400 C/L 270. 1406 C/L 340. 1408
C/L 3 KTS. 1517 COMMENCED FIRE MT. 51. 1538 C/L 326
1610 CEASED FIRE. 75 ROUNDS WITH FULL CHARGE EXPENDED.
1615 C/L 000 C/L 15 KTS. 1620 C/L 060. 1659 C/L 10 KTS. C/L 000.

W.A. Wise

W.A. WISE LT, USN

17-22 UNDERWAY AS BEFORE. 1749 C/L 310. 1815 KTS.
1808 C/L 18 KTS. 1920 C/L 3 KTS. 2002 C/L 320.
2041 C/L 140. 2130 C/L 120.

D.M. Reynerson

D.M. REYNERSON

LT USN

22-24 UNDERWAY AS BEFORE. 2209 C/L 100. 2215 C/L 140.
2240 C/L 320. 2340 C/L 330.

J.A. Phelan

J.A. PHELAN

LT USN

EXAMINED

Re Wilson

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS Joseph Strauss (DDG-46) ZONE DESCRIPTION -5H DATE Saturday 19 February 19 72
(Day) (Date) (Month)
AT/PASSAGE FROM IUR, REPUBLIC OF VIETNAM TO -

POSITION	ZONE	TIME
0800		
L 15° 20.7' N	BY 2.3	
λ 101° 55.5' E	BY 5.3	

POSITION	ZONE	TIME
1200		
L 16° 24.8' N	BY 7	
λ 108° 11.5' E	BY 2	

POSITION	ZONE	TIME
2000		
L 16° 39.8' N	BY 8.3	
λ 107° 41' E	BY 3.3	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

~~04-04~~ UNDERWAY IN ACCORDANCE WITH COMUSMACVFLT QUARTERLY EMPLOYMENT SCHEDULE. OPERATING IN WATERS OFF THE COAST OF IUR, REPUBLIC OF VIETNAM AS A UNIT OF TU 7Φ8.9. THIS SHIP IS STEAMING A TRACK PARALLEL TO THE COASTLINE AND FOUR MILES DISTANT FROM VUNG AN HOA NEAR CHU LAI. SOPA AND OTC IS CTU 7Φ8.9 EMBARKED ON THIS SHIP. CONDITION OF READINESS THREE AND MATERIAL CONDITION WAKE SET. THE SHIP IS DARKENED EXCEPT FOR NAVIGATIONAL LIGHTS. STEERING COURSE 330° SPEED 3 KTS. ΦΦΦ7 C/C 40° ΦΦ12 C/C 105° ΦΦ24 C/C 14Φ ΦΦ54 C/C 130° ΦΦ88 C/C 320°

J.A. PHELAN
J.A. PHELAN
LT. USN

Φ4-Φ7 UNDERWAY AS BEFORE. Φ258 °C 140° Φ439 °C 325°
Φ548 °C 140° Φ642 °C 126° °C 15 KTS.

W.A. WISE
W.A. WISE
LT. USN

Φ7-12 UNDERWAY AS BEFORE. Φ648 °C 128° Φ721 °C 134°
Φ806 °C 338° °C 22 KTS. Φ813 °C 330° Φ814 °C 325°
Φ815 °C 338° Φ900 RECEIVED THE DAILY MUSTER REPORT. NO NEW UNAUTHORIZED ABSENTEES.
Φ942 °C 313° 1038 °C 320° 1043 °C 313° 1045
°C 303° 1046 °C 313° 1049 °C 320° 1050 °C 313°

D.M. REYNOLSON
D.M. REYNOLSON
LT. USN

12-17 UNDERWAY AS BEFORE. 1205 °C 318° 1243 C-
314°. 1258 °C 312. 1300 SET THE SPECIAL SEA AND
REFUELING DETAIL. COMMENCED PREPARATIONS
FOR REFUELING FROM USS NAVASOTA (AO106).
MR. SCHLEICHERT HAS THE CONN. 1308 MANEUVERING
TO TAKE STATION ASTERN USS NAVASOTA (AO106) 1321
ON STATION. REFUELING COURSE 144° SPEED 12 KTS.
1322 COMMENCED APPROACH. COMMANDER, CAPTAIN
EXECUTIVE OFFICER AND NAVIGATOR ON THE BRIDGE.
1328 ON STATION AFTERSIDE STARBOARD SIDE
USS NAVASOTA (AO106) 1330 FIRST LINE OVER. 1332
RECEIVED FIRST FUEL HOSE 1339 COMMENCED
RECEIVING FUEL. 1352 FUELING COMPLETED 1400

EXAMINED

T. E. Wilson LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STEWART (DDG-16)

DATE SAT 19 FEB, 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

12-17 (CONTINUED) ALL LINES AND HOSES CLEAR. MANEUVERING
TO CLEAR STARBOARD SIDE USS NAVASOTA (AO 106)
1405 CLEAR OF USS NAVASOTA (AO 106) 1410
SECURED THE REPLENISHMENT DETAIL, COURSE
302° SPEED 17 KTS. 1430/5 KTS.

J. A. PHELAN

J. A. PHELAN LT, USN

17-22 UNDERWAY AS BEFORE, 1801 9/16 180, 1830 9/16 130 9/16 20 KTS.
1838 9/16 127, 1840 9/16 121, 1949 9/16 135 9/16 5 KTS. 2040
9/16 120, 2046 9/16 3 KTS. 2050 9/16 300.

W. A. WISE

W. A. WISE

LT USN

22-24 UNDERWAY AS BEFORE, 2243 9/16 120° 9/16 10 KTS.
2247 9/16 3 KTS. 2358 9/16 300° 9/16 10 KTS.
2359 9/16 3 KTS.

D. M. REYNERSON

LT USN

EXAMINED:

R. C. Wilson Log

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-20) ZONE DESCRIPTION 5H DATE SUNDAY 20 FEBRUARY 19 72
(Day) (Month)
AT/PASSAGE FROM I MR REPUBLIC OF VIETNAM

POSITION	ZONE	TIME
0800 <u>16° 54.1' N</u>		
<u>15° 25.1' N</u> BY <u>3.3</u>		
<u>107° 45.1' E</u> BY <u>2.3</u>		
<u>103° 22.1' E</u>		

POSITION	ZONE	TIME
1200 <u>16° 58.4' N</u>		
<u>15° 29.1' N</u> BY <u>2</u>		
<u>107° 45.2' E</u> BY <u>2</u>		
<u>107° 15.1' E</u>		

POSITION	ZONE	TIME
2000 <u>16° 41.1' N</u>		
<u>15° 31.1' N</u> BY <u>2.3</u>		
<u>107° 31.6' E</u> BY <u>2.3</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-03~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. MA SCHEDULE. OPERATING IN WATERS OFF THE COAST OF VIETNAM, I MR, AS A UNIT OF TU 70.8.9. SOPA AND OTC IS CTU 70.8.9. EMBARKED UPON THIS SHIP. THE SHIP IS STEAMING A TRACK PARALLEL TO THE COASTLINE AND SIX MILES DISTANCE FROM CUA THUAN AND NEAR HUE. CONDITION OF READINESS IS THREE AND MATERIAL CONDITION YOKO IS SET. THE SHIP IS DARKENED EXCEPT FOR NAVIGATION LIGHTS. STEERING COURSE 300° AT 3 KTS. 0127 1/2 127° 1/2 10 KTS. 0130 1/2 3 KTS. 0137 COMMENCED FIRING ILLUMINATION ROUNDS TO STBD WITH MT. 52. 0207 CEASED FIRING. AMMUNITION EXPENDED; 26 ROUNDS 5"/54 CAL. HIGH EXPLOSIVE ILLUMINATION PROJECTILES WITH 26 ROUNDS FULL SERVICE SMOKELESS POWDER CARTRIDGES WITH NO CASUALTIES.

[Signature]
D.M. REYNOLSON
LT USA

03-07 UNDERWAY AS BEFORE. 0407 1/2 120° 1/2 10 KTS. 0415 1/2 3 KTS. 0512 1/2 030° 1/2 300° 1/2 305° 1/2 20 KTS. 0606 1/2 3 KTS. 0608 1/2 300° 1/2 20 KTS. 0613 1/2 305° 1/2 305° 1/2 5 KTS. 0652 1/2 15 KTS. 0657 COMMENCED SOUNDING FOG SIGNALS. VISIBILITY REDUCED TO 200 YDS. 0707 1/2 020° 1/2 15 KTS. 0713 1/2 20 KTS. VISIBILITY UNRESTRICTED. CEASED SOUNDING FOG SIGNALS.

[Signature]
J.A. PHILLAN LT USA

07-12 UNDERWAY AS BEFORE. 0715 1/2 320° 1/2 308° 1/2 302° 1/2 5 KTS. 0827 1/2 240° 1/2 10 KTS. 0837 1/2 5 KTS. 0849 1/2 0 KTS. 0851 1/2 2 KTS. 0856 1/2 270° 1/2 0900 RECEIVED DAILY MUSTER REPORT. NO NEW ABSENTEES. 0904 LOWERED GIG IN WATER TO CONDUCT PART TRANSFER WITH USS GOLDSBOROUGH (DDG-20). 0917 1/2 5 KTS. GIG BACK ONBOARD. 0918 1/2 310° 1/2 3 KTS. 0938 1/2 315° 1/2 10 KTS. 1013 1/2 135° 1/2 15 KTS. 1055 1/2 315° 1/2 3 KTS. 1125 1/2 135° 1/2 10 KTS. 1128 1/2 3 KTS. 1137 1/2 180°

[Signature]
J.A. Zine

EXAMINED

[Signature] U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

DATE Sun. 20 Feb. 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

07-12 (CONTINUED) W.A. WISE LT. USN
12-17 UNDERWAY AS BEFORE. 1210 ϕ 270° 1216 ϕ 2KT
1232 ϕ 000° 1247 ϕ 090° ϕ 3 KTS. 1341
 ϕ 320° 1421 ϕ 2 KTS. 1438 ϕ 305° 1516
 ϕ 135° ϕ 15 KTS. 1532 ϕ 310° ϕ 3 KTS.
1645 ϕ 135° ϕ 10 KTS. 1649 ϕ 3 KTS.

[Signature]
D.M. REYNERSON
LT USN

17-22 UNDERWAY AS BEFORE. 1745 ϕ 10 KTS ϕ 130°
1747 ϕ 13 KTS. 1748 ϕ 320° 1759 ϕ 325°
1829 ϕ 13 KTS ϕ 100° 1831 ϕ 000° 1840
 ϕ 115° 1904 ϕ 126° 2013 ϕ 13 KTS. ϕ 130°
2048 ϕ 10 KTS ϕ 220° 2053 ϕ 13 KTS. ϕ 000°
2133 ϕ 13 KTS 2134 ϕ 5 KTS 2144 ϕ 120°
2145 ϕ 13 KTS

[Signature]
J.A. PHILLIPS
LT USN

22-24 UNDERWAY AS BEFORE. 2209 COMMENCED FIRE MT 52.
2258 ϕ 300° ϕ 10 KTS. 2300 ϕ 3 KTS. 2320 COMMENCED
FIRE MT 51. 2321 CEASED FIRE MT 51 AND MT 52. 7 ROUNDS
ILLUMINATION EXPENDED.

[Signature]
W.A. WISE LT. USN

EXAMINED:

[Signature] K.C. Wilson LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-76) ZONE DESCRIPTION - 8H DATE MONDAY 21 FEBRUARY, 19 72
(Day) (Date) (Month)

AT/PASSAGE FROM I MR REPUBLIC OF VIETNAM TO

POSITION	ZONE	TIME
0800 16°-49'N	BY 2	
160°-29'E	BY 2	

POSITION	ZONE	TIME
1200 16°-54'N	BY 2	
160°-18'E	BY 2	

POSITION	ZONE	TIME
2000 16°-56.8'N	BY 2	
160°-15'E	BY 2	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT
QUARTERLY EMPLOYMENT SCHEDULE, OPERATING OFF THE
COAST VIETNAM I MR, AS A UNIT OF TU 70.8.9.
SOPA AND OTC IS CTU 70.8.9, COMDESRON 33 EMBARKED
IN THIS SHIP. THE SHIP IS STEERING A TRACK PARALLEL
TO THE COASTLINE AND SIX MILES DISTANCE FROM
CUA THUAN, NEAR HUE. CONDITION OF READINESS IS
THREE AND MATERIAL CONDITION YOKO IS SET. THE
SHIP IS DARKENED EXCEPT FOR NAVIGATION LIGHTS.
STEERING COURSE 300 SP 3 KTS. 0035 °120 0149
°1300

W.A. Wise

W.A. WISE LT. USN

03-07 UNDERWAY AS BEFORE. 0317 °1200 °10KTS.
0322 °3KTS. 0430 °300 °10KTS. 0435 °3KTS
0452 COMMENCED FIRING ILLUMINATION
ROUNDS TO PORT WITH MOUNT 51. 0518
CEASED FIRING. AMMUNITION EXPENDED: 25 ROUNDS
5"/54 CAL. HIGH EXPLOSIVE PROJECTILES WITH
25 ROUNDS FULL SERVICE FLASHLESS POWDER
CARTRIDGES. NO CASUALTIES. 0554 °1200
°10KTS. 0558 °3KTS. 0648 °306 °15KTS.

D.M. Reynerson

D.M. REYNERSON

LT USA

07-12 UNDERWAY AS BEFORE. 0701 °1200 °10KTS. 0704 °1250.
0705 °1200 °10KTS. 0707 °1215 °10KTS. 0714 °1230.
0715 °1230 °10KTS. 0716 °1240 °10KTS. 0717 °1240.
0724 °1215 °10KTS. 0756 °1200 °10KTS. 0757 °1200.
0758 °1200 °10KTS. 0759 °1200 °10KTS. 0800 °1200.
0801 °1200 °10KTS. 0802 °1200 °10KTS. 0803 °1200.
0804 °1200 °10KTS. 0805 °1200 °10KTS. 0806 °1200.
0807 °1200 °10KTS. 0808 °1200 °10KTS. 0809 °1200.
0810 °1200 °10KTS. 0811 °1200 °10KTS. 0812 °1200.
0813 °1200 °10KTS. 0814 °1200 °10KTS. 0815 °1200.
0816 °1200 °10KTS. 0817 °1200 °10KTS. 0818 °1200.
0819 °1200 °10KTS. 0820 °1200 °10KTS. 0821 °1200.
0822 °1200 °10KTS. 0823 °1200 °10KTS. 0824 °1200.
0825 °1200 °10KTS. 0826 °1200 °10KTS. 0827 °1200.
0828 °1200 °10KTS. 0829 °1200 °10KTS. 0830 °1200.
0831 °1200 °10KTS. 0832 °1200 °10KTS. 0833 °1200.
0834 °1200 °10KTS. 0835 °1200 °10KTS. 0836 °1200.
0837 °1200 °10KTS. 0838 °1200 °10KTS. 0839 °1200.
0840 °1200 °10KTS. 0841 °1200 °10KTS. 0842 °1200.
0843 °1200 °10KTS. 0844 °1200 °10KTS. 0845 °1200.
0846 °1200 °10KTS. 0847 °1200 °10KTS. 0848 °1200.
0849 °1200 °10KTS. 0850 °1200 °10KTS. 0851 °1200.
0852 °1200 °10KTS. 0853 °1200 °10KTS. 0854 °1200.
0855 °1200 °10KTS. 0856 °1200 °10KTS. 0857 °1200.
0858 °1200 °10KTS. 0859 °1200 °10KTS. 0900 °1200.
0901 °1200 °10KTS. 0902 °1200 °10KTS. 0903 °1200.
0904 °1200 °10KTS. 0905 °1200 °10KTS. 0906 °1200.
0907 °1200 °10KTS. 0908 °1200 °10KTS. 0909 °1200.
0910 °1200 °10KTS. 0911 °1200 °10KTS. 0912 °1200.
0913 °1200 °10KTS. 0914 °1200 °10KTS. 0915 °1200.
0916 °1200 °10KTS. 0917 °1200 °10KTS. 0918 °1200.
0919 °1200 °10KTS. 0920 °1200 °10KTS. 0921 °1200.
0922 °1200 °10KTS. 0923 °1200 °10KTS. 0924 °1200.
0925 °1200 °10KTS. 0926 °1200 °10KTS. 0927 °1200.
0928 °1200 °10KTS. 0929 °1200 °10KTS. 0930 °1200.
0931 °1200 °10KTS. 0932 °1200 °10KTS. 0933 °1200.
0934 °1200 °10KTS. 0935 °1200 °10KTS. 0936 °1200.
0937 °1200 °10KTS. 0938 °1200 °10KTS. 0939 °1200.
0940 °1200 °10KTS. 0941 °1200 °10KTS. 0942 °1200.
0943 °1200 °10KTS. 0944 °1200 °10KTS. 0945 °1200.
0946 °1200 °10KTS. 0947 °1200 °10KTS. 0948 °1200.
0949 °1200 °10KTS. 0950 °1200 °10KTS. 0951 °1200.
0952 °1200 °10KTS. 0953 °1200 °10KTS. 0954 °1200.
0955 °1200 °10KTS. 0956 °1200 °10KTS. 0957 °1200.
0958 °1200 °10KTS. 0959 °1200 °10KTS. 1000 °1200.
1001 °1200 °10KTS. 1002 °1200 °10KTS. 1003 °1200.
1004 °1200 °10KTS. 1005 °1200 °10KTS. 1006 °1200.
1007 °1200 °10KTS. 1008 °1200 °10KTS. 1009 °1200.
1010 °1200 °10KTS. 1011 °1200 °10KTS. 1012 °1200.
1013 °1200 °10KTS. 1014 °1200 °10KTS. 1015 °1200.
1016 °1200 °10KTS. 1017 °1200 °10KTS. 1018 °1200.
1019 °1200 °10KTS. 1020 °1200 °10KTS. 1021 °1200.
1022 °1200 °10KTS. 1023 °1200 °10KTS. 1024 °1200.
1025 °1200 °10KTS. 1026 °1200 °10KTS. 1027 °1200.
1028 °1200 °10KTS. 1029 °1200 °10KTS. 1030 °1200.
1031 °1200 °10KTS. 1032 °1200 °10KTS. 1033 °1200.
1034 °1200 °10KTS. 1035 °1200 °10KTS. 1036 °1200.
1037 °1200 °10KTS. 1038 °1200 °10KTS. 1039 °1200.
1040 °1200 °10KTS. 1041 °1200 °10KTS. 1042 °1200.
1043 °1200 °10KTS. 1044 °1200 °10KTS. 1045 °1200.
1046 °1200 °10KTS. 1047 °1200 °10KTS. 1048 °1200.
1049 °1200 °10KTS. 1050 °1200 °10KTS. 1051 °1200.
1052 °1200 °10KTS. 1053 °1200 °10KTS. 1054 °1200.
1055 °1200 °10KTS. 1056 °1200 °10KTS. 1057 °1200.
1058 °1200 °10KTS. 1059 °1200 °10KTS. 1100 °1200.
1101 °1200 °10KTS. 1102 °1200 °10KTS. 1103 °1200.
1104 °1200 °10KTS. 1105 °1200 °10KTS. 1106 °1200.
1107 °1200 °10KTS. 1108 °1200 °10KTS. 1109 °1200.
1110 °1200 °10KTS. 1111 °1200 °10KTS. 1112 °1200.
1113 °1200 °10KTS. 1114 °1200 °10KTS. 1115 °1200.
1116 °1200 °10KTS. 1117 °1200 °10KTS. 1118 °1200.
1119 °1200 °10KTS. 1120 °1200 °10KTS. 1121 °1200.
1122 °1200 °10KTS. 1123 °1200 °10KTS. 1124 °1200.
1125 °1200 °10KTS. 1126 °1200 °10KTS. 1127 °1200.
1128 °1200 °10KTS. 1129 °1200 °10KTS. 1130 °1200.
1131 °1200 °10KTS. 1132 °1200 °10KTS. 1133 °1200.
1134 °1200 °10KTS. 1135 °1200 °10KTS. 1136 °1200.
1137 °1200 °10KTS. 1138 °1200 °10KTS. 1139 °1200.
1140 °1200 °10KTS. 1141 °1200 °10KTS. 1142 °1200.
1143 °1200 °10KTS. 1144 °1200 °10KTS. 1145 °1200.
1146 °1200 °10KTS. 1147 °1200 °10KTS. 1148 °1200.
1149 °1200 °10KTS. 1150 °1200 °10KTS. 1151 °1200.
1152 °1200 °10KTS. 1153 °1200 °10KTS. 1154 °1200.
1155 °1200 °10KTS. 1156 °1200 °10KTS. 1157 °1200.
1158 °1200 °10KTS. 1159 °1200 °10KTS. 1200 °1200.

J.A. Friedman

J.A. FRIEDMAN

LT USN

12-17 UNDERWAY AS BEFORE. 1225 °1200 °10KTS. 1228
°1229 °1200 °10KTS. 1237 °1200 °10KTS. 1254
°1232 °1200 °10KTS. 1424 °1200 °10KTS. 1429 °1200 °10KTS.
°1200 °10KTS. 1526 °1200 °10KTS. 1531 °1200 °10KTS. 1615 °1200 °10KTS. 1616
°1200 °10KTS. 1626 °1200 °10KTS. 1627 °1200 °10KTS. 1628 °1200 °10KTS. 1629 °1200 °10KTS. 1630 °1200 °10KTS. 1631 °1200 °10KTS. 1632 °1200 °10KTS. 1633 °1200 °10KTS. 1634 °1200 °10KTS. 1635 °1200 °10KTS. 1636 °1200 °10KTS. 1637 °1200 °10KTS. 1638 °1200 °10KTS. 1639 °1200 °10KTS. 1640 °1200 °10KTS. 1641 °1200 °10KTS. 1642 °1200 °10KTS. 1643 °1200 °10KTS. 1644 °1200 °10KTS. 1645 °1200 °10KTS. 1646 °1200 °10KTS. 1647 °1200 °10KTS. 1648 °1200 °10KTS. 1649 °1200 °10KTS. 1650 °1200 °10KTS. 1651 °1200 °10KTS. 1652 °1200 °10KTS. 1653 °1200 °10KTS. 1654 °1200 °10KTS. 1655 °1200 °10KTS. 1656 °1200 °10KTS. 1657 °1200 °10KTS. 1658 °1200 °10KTS. 1659 °1200 °10KTS. 1700 °1200 °10KTS. 1701 °1200 °10KTS. 1702 °1200 °10KTS. 1703 °1200 °10KTS. 1704 °1200 °10KTS. 1705 °1200 °10KTS. 1706 °1200 °10KTS. 1707 °1200 °10KTS. 1708 °1200 °10KTS. 1709 °1200 °10KTS. 1710 °1200 °10KTS. 1711 °1200 °10KTS. 1712 °1200 °10KTS. 1713 °1200 °10KTS. 1714 °1200 °10KTS. 1715 °1200 °10KTS. 1716 °1200 °10KTS. 1717 °1200 °10KTS. 1718 °1200 °10KTS. 1719 °1200 °10KTS. 1720 °1200 °10KTS. 1721 °1200 °10KTS. 1722 °1200 °10KTS. 1723 °1200 °10KTS. 1724 °1200 °10KTS. 1725 °1200 °10KTS. 1726 °1200 °10KTS. 1727 °1200 °10KTS. 1728 °1200 °10KTS. 1729 °1200 °10KTS. 1730 °1200 °10KTS. 1731 °1200 °10KTS. 1732 °1200 °10KTS. 1733 °1200 °10KTS. 1734 °1200 °10KTS. 1735 °1200 °10KTS. 1736 °1200 °10KTS. 1737 °1200 °10KTS. 1738 °1200 °10KTS. 1739 °1200 °10KTS. 1740 °1200 °10KTS. 1741 °1200 °10KTS. 1742 °1200 °10KTS. 1743 °1200 °10KTS. 1744 °1200 °10KTS. 1745 °1200 °10KTS. 1746 °1200 °10KTS. 1747 °1200 °10KTS. 1748 °1200 °10KTS. 1749 °1200 °10KTS. 1750 °1200 °10KTS. 1751 °1200 °10KTS. 1752 °1200 °10KTS. 1753 °1200 °10KTS. 1754 °1200 °10KTS. 1755 °1200 °10KTS. 1756 °1200 °10KTS. 1757 °1200 °10KTS. 1758 °1200 °10KTS. 1759 °1200 °10KTS. 1800 °1200 °10KTS. 1801 °1200 °10KTS. 1802 °1200 °10KTS. 1803 °1200 °10KTS. 1804 °1200 °10KTS. 1805 °1200 °10KTS. 1806 °1200 °10KTS. 1807 °1200 °10KTS. 1808 °1200 °10KTS. 1809 °1200 °10KTS. 1810 °1200 °10KTS. 1811 °1200 °10KTS. 1812 °1200 °10KTS. 1813 °1200 °10KTS. 1814 °1200 °10KTS. 1815 °1200 °10KTS. 1816 °1200 °10KTS. 1817 °1200 °10KTS. 1818 °1200 °10KTS. 1819 °1200 °10KTS. 1820 °1200 °10KTS. 1821 °1200 °10KTS. 1822 °1200 °10KTS. 1823 °1200 °10KTS. 1824 °1200 °10KTS. 1825 °1200 °10KTS. 1826 °1200 °10KTS. 1827 °1200 °10KTS. 1828 °1200 °10KTS. 1829 °1200 °10KTS. 1830 °1200 °10KTS. 1831 °1200 °10KTS. 1832 °1200 °10KTS. 1833 °1200 °10KTS. 1834 °1200 °10KTS. 1835 °1200 °10KTS. 1836 °1200 °10KTS. 1837 °1200 °10KTS. 1838 °1200 °10KTS. 1839 °1200 °10KTS. 1840 °1200 °10KTS. 1841 °1200 °10KTS. 1842 °1200 °10KTS. 1843 °1200 °10KTS. 1844 °1200 °10KTS. 1845 °1200 °10KTS. 1846 °1200 °10KTS. 1847 °1200 °10KTS. 1848 °1200 °10KTS. 1849 °1200 °10KTS. 1850 °1200 °10KTS. 1851 °1200 °10KTS. 1852 °1200 °10KTS. 1853 °1200 °10KTS. 1854 °1200 °10KTS. 1855 °1200 °10KTS. 1856 °1200 °10KTS. 1857 °1200 °10KTS. 1858 °1200 °10KTS. 1859 °1200 °10KTS. 1900 °1200 °10KTS. 1901 °1200 °10KTS. 1902 °1200 °10KTS. 1903 °1200 °10KTS. 1904 °1200 °10KTS. 1905 °1200 °10KTS. 1906 °1200 °10KTS. 1907 °1200 °10KTS. 1908 °1200 °10KTS. 1909 °1200 °10KTS. 1910 °1200 °10KTS. 1911 °1200 °10KTS. 1912 °1200 °10KTS. 1913 °1200 °10KTS. 1914 °1200 °10KTS. 1915 °1200 °10KTS. 1916 °1200 °10KTS. 1917 °1200 °10KTS. 1918 °1200 °10KTS. 1919 °1200 °10KTS. 1920 °1200 °10KTS. 1921 °1200 °10KTS. 1922 °1200 °10KTS. 1923 °1200 °10KTS. 1924 °1200 °10KTS. 1925 °1200 °10KTS. 1926 °1200 °10KTS. 1927 °1200 °10KTS. 1928 °1200 °10KTS. 1929 °1200 °10KTS. 1930 °1200 °10KTS. 1931 °1200 °10KTS. 1932 °1200 °10KTS. 1933 °1200 °10KTS. 1934 °1200 °10KTS. 1935 °1200 °10KTS. 1936 °1200 °10KTS. 1937 °1200 °10KTS. 1938 °1200 °10KTS. 1939 °1200 °10KTS. 1940 °1200 °10KTS. 1941 °1200 °10KTS. 1942 °1200 °10KTS. 1943 °1200 °10KTS. 1944 °1200 °10KTS. 1945 °1200 °10KTS. 1946 °1200 °10KTS. 1947 °1200 °10KTS. 1948 °1200 °10KTS. 1949 °1200 °10KTS. 1950 °1200 °10KTS. 1951 °1200 °10KTS. 1952 °1200 °10KTS. 1953 °1200 °10KTS. 1954 °1200 °10KTS. 1955 °1200 °10KTS. 1956 °1200 °10KTS. 1957 °1200 °10KTS. 1958 °1200 °10KTS. 1959 °1200 °10KTS. 2000 °1200 °10KTS. 2001 °1200 °10KTS. 2002 °1200 °10KTS. 2003 °1200 °10KTS. 2004 °1200 °10KTS. 2005 °1200 °10KTS. 2006 °1200 °10KTS. 2007 °1200 °10KTS. 2008 °1200 °10KTS. 2009 °1200 °10KTS. 2010 °1200 °10KTS. 2011 °1200 °10KTS. 2012 °1200 °10KTS. 2013 °1200 °10KTS. 2014 °1200 °10KTS. 2015 °1200 °10KTS. 2016 °1200 °10KTS. 2017 °1200 °10KTS. 2018 °1200 °10KTS. 2019 °1200 °10KTS. 2020 °1200 °10KTS. 2021 °1200 °10KTS. 2022 °1200 °10KTS. 2023 °1200 °10KTS. 2024 °1200 °10KTS. 2025 °1200 °10KTS. 2026 °1200 °10KTS. 2027 °1200 °10KTS. 2028 °1200 °10KTS. 2029 °1200 °10KTS. 2030 °1200 °10KTS. 2031 °1200 °10KTS. 2032 °1200 °10KTS. 2033 °1200 °10KTS. 2034 °1200 °10KTS. 2035 °1200 °10KTS. 2036 °1200 °10KTS. 2037 °1200 °10KTS. 2038 °1200 °10KTS. 2039 °1200 °10KTS. 2040 °1200 °10KTS. 2041 °1200 °10KTS. 2042 °1200 °10KTS. 2043 °1200 °10KTS. 2044 °1200 °10KTS. 2045 °1200 °10KTS. 2046 °1200 °10KTS. 2047 °1200 °10KTS. 2048 °1200 °10KTS. 2049 °1200 °10KTS. 2050 °1200 °10KTS. 2051 °1200 °10KTS. 2052 °1200 °10KTS. 2053 °1200 °10KTS. 2054 °1200 °10KTS. 2055 °1200 °10KTS. 2056 °1200 °10KTS. 2057 °1200 °10KTS. 2058 °1200 °10KTS. 2059 °1200 °10KTS. 2100 °1200 °10KTS. 2101 °1200 °10KTS. 2102 °1200 °10KTS. 2103 °1200 °10KTS. 2104 °1200 °10KTS. 2105 °1200 °10KTS. 2106 °1200 °10KTS. 2107 °1200 °10KTS. 2108 °1200 °10KTS. 2109 °1200 °10KTS. 2110 °1200 °10KTS. 2111 °1200 °10KTS. 2112 °1200 °10KTS. 2113 °1200 °10KTS. 2114 °1200 °10KTS. 2115 °1200 °10KTS. 2116 °1200 °10KTS. 2117 °1200 °10KTS. 2118 °1200 °10KTS. 2119 °1200 °10KTS. 2120 °1200 °10KTS. 2121 °1200 °10KTS. 2122 °1200 °10KTS. 2123 °1200 °10KTS. 2124 °1200 °10KTS. 2125 °1200 °10KTS. 2126 °1200 °10KTS. 2127 °1200 °10KTS. 2128 °1200 °10KTS. 2129 °1200 °10KTS. 2130 °1200 °10KTS. 2131 °1200 °10KTS. 2132 °1200 °10KTS. 2133 °1200 °10KTS. 2134 °1200 °10KTS. 2135 °1200 °10KTS. 2136 °1200 °10KTS. 2137 °1200 °10KTS. 2138 °1200 °10KTS. 2139 °1200 °10KTS. 2140 °1200 °10KTS. 2141 °1200 °10KTS. 2142 °1200 °10KTS. 2143 °1200 °10KTS. 2144 °1200 °10KTS. 2145 °1200 °10KTS. 2146 °1200 °10KTS. 2147 °1200 °10KTS. 2148 °1200 °10KTS. 2149 °1200 °10KTS. 2150 °1200 °10KTS. 2151 °1200 °10KTS. 2152 °1200 °10KTS. 2153 °1200 °10KTS. 2154 °1200 °10KTS. 2155 °1200 °10KTS. 2156 °1200 °10KTS. 2157 °1200 °10KTS. 2158 °1200 °10KTS. 2159 °1200 °10KTS. 2200 °1200 °10KTS. 2201 °1200 °10KTS. 2202 °1200 °10KTS. 2203 °1200 °10KTS. 2204 °1200 °10KTS. 2205 °1200 °10KTS. 2206 °1200 °10KTS. 2207 °1200 °10KTS. 2208 °1200 °10KTS. 2209 °1200 °10KTS. 2210 °1200 °10KTS. 2211 °1200 °10KTS. 2212 °1200 °10KTS. 2213 °1200 °10KTS. 2214 °1200 °10KTS. 2215 °1200 °10KTS. 2216 °1200 °10KTS. 2217 °1200 °10KTS. 2218 °1200 °10KTS. 2219 °1200 °10KTS. 2220 °1200 °10KTS. 2221 °1200 °10KTS. 2222 °1200 °10KTS. 2223 °1200 °10KTS. 2224 °1200 °10KTS. 2225 °1200 °10KTS. 2226 °1200 °10KTS. 2227 °1200 °10KTS. 2228 °1200 °10KTS. 2229 °1200 °10KTS. 2230 °1200 °10KTS. 2231 °1200 °10KTS. 2232 °1200 °10KTS. 2233 °1200 °10KTS. 2234 °1200 °10KTS. 2235 °1200 °10KTS. 2236 °1200 °10KTS. 2237 °1200 °10KTS. 2238 °1200 °10KTS. 2239 °1200 °10KTS. 2240 °1200 °10KTS. 2241 °1200 °10KTS. 2242 °1200 °10KTS. 2243 °1200 °10KTS. 2244 °1200 °10KTS. 2245 °1200 °10KTS. 2246 °1200 °10KTS. 2247 °1200 °10KTS. 2248 °1200 °10KTS. 2249 °1200 °10KTS. 2250 °1200 °10KTS. 2251 °1200 °10KTS. 2252 °1200 °10KTS. 2253 °1200 °10KTS. 2254 °1200 °10KTS. 2255 °1200 °10KTS. 2256 °1200 °10KTS. 2257 °1200 °10KTS. 2258 °1200 °10KTS. 2259 °1200 °10KTS. 2300 °1200 °10KTS. 2301 °1200 °10KTS. 2302 °1200 °10KTS. 2303 °1200 °10KTS. 2304 °1200 °10KTS. 2305 °1200 °10KTS. 2306 °1200 °10KTS. 2307 °1200 °10KTS. 2308 °1200 °10KTS. 2309 °1200 °10KTS. 2310 °1200 °10KTS. 2311 °1200 °10KTS. 2312 °1200 °10KTS. 2313 °1200 °10KTS. 2314 °1200 °10KTS. 2315 °1200 °10KTS. 2316 °1200 °10KTS. 2317 °1200 °10KTS. 2318 °1200 °10KTS. 2319 °1200 °10KTS. 2320 °1200 °10KTS. 2321 °1200 °10KTS. 2322 °1200 °10KTS. 2323 °1200 °10KTS. 2324 °1200 °10KTS. 2325 °1200 °10KTS. 2326 °1200 °10KTS.

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

DATE MONDAY 21 FEB 19 72
(Day) (Date) (Month)

REMARKS—CONTINUED

17-17 (CONTINUED) N.A. WISE LT, USN
17-22 UNDERWAY AS BEFORE. 1746 % 315° % 10 KTS
1748 % 3 KTS. 1820 % 10 KTS. 1830 % 3 KTS.
1850 % 1300 % 15 KTS. COMMENCED FIRING
TO PORT WITH MT. 51. 1857 CEASED FIRING.
AMMUNITION EXPENDED: 6 ROUNDS 5"/54
CAL. HIGH EXPLOSIVE PROJECTILES WITH
6 ROUNDS FULL SERVICE FLASHLESS
POWDER CARTRIDGES WITH NO CASUALTIES.
1900 % 315° % 3 KTS. 1916 % 090° 1923
% 070° 1928 % 095° 2035 % 270°
2135 % 155° 2145 % 315°

D.M. REYNOLSON
LT USA

22-24 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT
VARIOUS SPEEDS ON A TRACK PARALLEL TO THE
COASTLINE AND 3 MILES DISTANT FROM THE MOUTH
OF THE CUA VIET RIVER, 1 MR. REPUBLIC OF VIETNAM.
2312 COMMENCED HARBOR MOUNT FIRE AT TARGETS
ASHORE. 2354 CEASED FIRE. AMMUNITION EXPENDED: 40
ROUNDS 5"/54 CAL. HC PROJECTILES WITH 40 ROUNDS
WACO POWDER CARTRIDGES WITH NO CASUALTIES.

J.A. PHILLIPS
LT USN

EXAMINED:

R.P. Wilson LT

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16) ZONE DESCRIPTION -8H DATE Tuesday 22 February 19 72
(Day) (Date) (Month)

AT/PASSAGE FROM J.M.R. REPUBLIC OF VIETNAM TO -

POSITION	ZONE	TIME
0800		
L 16° 45.6'N	BY 2/3	
λ 107° 13.4'E	BY 2/3	

POSITION	ZONE	TIME
1200		
L 16° 56.8'N	BY 2	
λ 107° 13'E	BY 2	

POSITION	ZONE	TIME
2000		
L 16° 56.1'N	BY 2	
λ 107° 14.8'E	BY 2	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMNAVJTF QUARTERLY EMPLOYMENT SCHEDULE, OPERATING OFF THE COAST OF VIETNAM J.M.R. AS A UNIT OF TU 708.9 SOPA AND CTC IS CTC 708.9 EMBARKED IN THIS SHIP. THIS SHIP IS STEERING A TRACK 3 MILES DISTANT FROM THE MOUTH OF THE CUA VIET RIVER PARALLEL TO THE COASTLINE AT VARIOUS COURSES AT VARIOUS SPEEDS. CONDITION OF READINESS THREE AND MATERIAL CONDITION YOKO SET. THE SHIP IS DARKENED EXCEPT FOR NAVIGATION LIGHTS. 0030 COMMENCED HARASSMENT FIRE AT TARGETS ASHORE. 0041 CEASED FIRE; AMMUNITION EXPENDED; 40 ROUNDS 5"/54 CAL HC PROJECTILES WITH 40 ROUNDS NACO POWDER WITH NO CASUALTIES.

J.A. Phelan
J.A. Phelan
LT USN

03-07 UNDERWAY AS BEFORE. 0242 SET COURSE 315 SP 10 KTS. 0246 1/2 3 KTS. 0322 1/2 000 0335 1/2 315. 0445 1/2 135 1/2 10 KTS. 0450 1/2 3 KTS. 0609 1/2 315.

W.A. Wise
W.A. WISE
LT USN

07-12 UNDERWAY AS BEFORE. 0846 1/2 135° 0822 1/2 5 KTS. 0843 1/2 315° 0930 1/2 3 KTS. 0912 1/2 5 KTS. 0945 1/2 315° 1020 1/2 2 KTS. 1049 1/2 320° 1018 RECEIVED THE DAILY MUSTER REPORT; NO NEW UNAUTHORIZED ABSENTEES. 1041 1/2 325° 09 3 KTS. 1045 1/2 330° 1126 1/2 315°

D.M. REYNERSON
LT USN

12-16 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STEERING A TRACK PARALLEL TO THE COASTLINE AND THREE MILES DISTANT FROM THE MOUTH OF THE CUA VIET RIVER. 1530 COMMENCED SPOTTER CALL FOR FIRE MISSION AT TARGETS ASHORE. 1625 CEASED FIRING. AMMUNITION EXPENDED: 50 ROUNDS 5"/54 CAL HC PROJECTILES WITH 50 ROUNDS NACO POWDER WITH NO CASUALTIES.

EXAMINED

R.E. Wilson LT

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (006-16)

JAN 22 FEBRUARY 72
(Day) (Date) (Month)

REMARKS—CONTINUED

J.A. Phelan
J.A. PHELAN
LT USN

16-22 UNDERWAY AS BEFORE. 1742 $\% 125^{\circ}$ 1800 $\% 120^{\circ}$
1802 $\% 315^{\circ}$ $\% 3$ KTS. 1919 $\% 135^{\circ}$ 1954 $\% 120^{\circ}$
2036 $\% 300^{\circ}$ $\% 10$ KTS. 2038 $\% 15$ KTS 2044
 $\% 305^{\circ}$ 2049 $\% 3$ KTS. $\% 135^{\circ}$ 2052 $\% 120^{\circ}$
2053 COMMENCED MANUEVERING AT VARIOUS
COURSES AND SPEEDS WHILE MAINTAINING
A STATIONARY POSITION FOR SHORE
BOMBARDMENT TO PORT. 2118 COMMENCED
FIRING TO PORT WITH MT. 52.

K.M. Schleicht
K.M. SCHLEICHERT
CWO2 USN

22-24 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES
AND MAKING VARIOUS SPEEDS WHILE CONDUCTING
HARASSMENT AND INTERDICTION MRS. 2359
COMPLETED FIRING 46 ROUNDS HIGH EXPLOSIVE
FROM MT 52.

D.M. Reinert
D.M. REINERT
LT USN

EXAMINED:

R.E. Wilson Lt

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-84) ZONE DESCRIPTION BH DATE WEDNESDAY 23 FEBRUARY 19 72
(Day) (Date) (Month)
AT/PASSAGE FROM MILITARY REGION NRI REPUBLIC OF VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16°-56'N</u>	BY <u>2</u>	
λ <u>107°-13.4E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16°-56'N</u>	BY <u>2</u>	
λ <u>107°-13'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16°-56.1'N</u>	BY <u>2</u>	
λ <u>107°-14.8E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OPERATING/EMPLOYMENT SCHEDULE. OPERATING OFF THE COAST OF VIETNAM IN MILITARY REGION NR ONE(1) AS A UNIT OF TD 70.8.9. SOPA ANDOTO IS CTU 70.8.9/COMBROW THREE THREE EM-BARKED THIS SHIP. STEERING A TRACK 3 MI FROM AND PARALLEL TO THE VIETNAM COAST AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING NGS. CONDITION OF READINESS THREE AND MATERIAL CONDITION YOLK IS SET. SHIP IS DARKENED WITH THE EXCEPTION OF NAVIGATIONAL LIGHTS. 0150 COMPLETED H AND I MISSION 164 ROUNDS EXPENDED FROM MOUNTS 51 AND 52 THIS WATCH. 2000 ROUNDS TOTAL ON H AND I MISSION. 0151 96 3KTS 96135°

[Signature]
J.A. REYNOLSON
LT USN

03-07 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STEERING A TRACK PARALLEL TO THE COAST AND 3 MILES DISTANT FROM THE MOUTH OF THE CUA VIET RIVER.

[Signature]
J.A. FIELAN
J.A. FIELAN
LT USN

07-12 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND SPEEDS WHILE STEERING A TRACK PARALLEL TO THE COAST AND 3 MILES DISTANT FROM THE MOUTH OF THE CUA VIET RIVER. 1019 RECEIVED THE DAILY MUSTER REPORT; NO NEW UNAUTHORIZED ABSENTEES. 1133 86 045° 93 10KTS. 1153 86 180° 93 3KTS.

[Signature]
K.M. SCHLEICHERT
K.M. SCHLEICHERT
CW02 USN

12-17 UNDERWAY AS BEFORE. 1221 86 210° 1238 86 250° 1337 2A BOILER ON THE LINE. 1B, 2A BOILERS ON THE LINE. SPLIT. 1345 86 000° 1430 86 105° 1515 86 110° 1517 86 127° 1519 SET THE SPECIAL SEA AND REPLENISHMENT DETAIL. COMMENCED PREPARATIONS FOR RECEIVING AMMUNITION FROM USS HALEAKALA (AE25) 1528 MANEUVERING

EXAMINED

[Signature]
R.E. Wilson H

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

DATE WEDNESDAY 23 February, 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

12-17 (CONTINUED) TO TAKE STATION ASTERN USS HALEAKALA (AG-25). THE COMMODORE, CAPTAIN, EXECUTIVE OFFICER AND NAVIGATOR ARE ON THE BRIDGE. 1553 EXPERIENCED CASUALTY TO ACC LB. 1 FORCED DRAFT BLOWER. 1600 CASUALTY TO ACC LB. 1 FORCED DRAFT BLOWER REPAIRED. 1601 ON STATION. REPLENISHMENT COURSE 090, SPEED 12 KTS. 1602 COMMENCED APPROACH, CAPTAIN AT THE CONN. 1608 ON STATION ALONGSIDE STARBOARD SIDE USS HALEAKALA (AG-25). 1611 LT REYNERSON HAS THE CONN. 1614 FIRST LINE OVER. 1619 COMMENCED RECEIVING AMMUNITION. 1717 COMPLETED LOADING AMMUNITION, HAVING RECEIVED FROM USS HALEAKALA (AG-25) ROUNDS 5" 154 CAL PROJECTILES AND 5" 154 CAL POWDER CARTRIDGES. 1735 TRANSFERRED NAMES C. HARTSOCK, USN. 22040 0603 TO USS HALEAKALA (AG-25) FOR TRANSPORTATION TO NAVAL STATION, SOIC BAT. TRANSFER VIA HIGH LINE. 1740 ALL LINES CLEAR. MANEUVERING TO CLEAR ^{STARBOARD SIDE} PORTSIDE OF HALEAKALA. 1742 CLEAR OF HALEAKALA. 1743 SECURED REPLENISHMENT DETAIL. 1743 C/C 270° C/S 25 KTS.

D.M. Reynerson
D.M. REYNERSON
LT USN

17-22 UNDERWAY AS BEFORE 1913 C/C 275° 1918 C/C 270° 1923 C/S 10 KTS. 1934 C/C 315° C/S 3 KTS. STEERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STEAMING A TRACK PARALLEL TO THE COASTLINE AND 3 MILES DISTANT FROM THE MOUTH OF THE CUA VIET RIVER.

J.A. Phelan
J.A. PHELAN LT USN

22-24 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND SPEEDS WHILE MAINTAINING A FIXED POSITION 2 1/2 MILES FROM THE COASTLINE NEAR THE MOUTH OF THE CUA VIET RIVER. 2200 COMMENCED FIRING TO STBD WITH MT. 51 AND MT. 52.

K.M. Schleicher
K.M. SCHLEICHER
CWO2 USN

EXAMINED:

R.E. Wilson LT

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (AG-40) ONE DESCRIPTION -8H DATE THURSDAY 24 FEBRUARY 19 72
AT/PASSAGE FROM MILITARY REGION NR1 TO REPUBLIC OF VIETNAM

POSITION	ZONE	TIME
0800		
L 16°-53.6'N	BY 2	
λ 107°-16.3'E	BY 2	

POSITION	ZONE	TIME
1200		
L 16°-48.5'N	BY 2	
λ 107°-44'E	BY 2	

POSITION	ZONE	TIME
2000		
L 16°-55'N	BY 2	
λ 107°-35.5'E	BY 2	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. OPERATING OFF THE COAST OF VIETNAM IN MILITARY REGION NR. 1 AS A UNIT OF TU 70.8.9. SOPA AND OTC IS CTU 70.8.9/COMDESRON THREE THREE EMBARKED ON THIS SHIP. STEERING VARIOUS COURSES AND SPEEDS WHILE MAINTAINING A STATIONARY POSITION 2 1/2 MILES DISTANT FROM THE COASTLINE NEAR THE MOUTH OF THE CUP VIET RIVER AND CONDUCTING SHORE BOMBARDMENT OF SUSPECTED VIET CONG POSITIONS EMPLOYING MT. 51 AND MT. 52 FIRING TO STBD. CONDITION OF READINESS IS THREE AND MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL NAVIGATION LIGHTS.

X. M. Schleichert
K. M. SCHLEICHERT
CWO3 USA

03-07 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND MAKING VARIOUS SPEEDS WHILE CONDUCTING HARASSMENT FIRE IN THE DEMILITARIZED ZONE OF SOUTH VIETNAM. 0607 SECURED H AND I MISSION TOTAL ROUNDS FIRED FROM BOTH MOUNTS 51 AND 52 WAS TWO HUNDRED SIXTY-FIVE OF HIGH CAPACITY EXPLOSIVES. 0619 C/S 3 KTS C/C 315°.

AMF
D. M. REYNOLDS
LT USA

07-12 UNDERWAY AS BEFORE. STEERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STEAMING A TRACK PARALLEL TO THE COASTLINE AND A THREE MILES DISTANT FROM THE MOUTH OF THE CUP VIET RIVER. 0740 MUSTERED THE CREW ON STATION. NO NEW ABSENCES. 1053 C/C 100° 1054 C/S 25 KTS. PROCEEDING TO REUNION WITH USS MAUSHIWA (AO-146). 1148 C/C 101°.

EXAMINED

R. E. Williams
U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

DATE THURS 24 FEB 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

J.A. Phelan
J.A. PHELAN
LT USN

12-17 UNDERWAY AS BEFORE. 1242 $\% 100^{\circ}$ 1421 $\% 125^{\circ}$
1444 $\% 129^{\circ}$ 1457 $\% 132^{\circ}$ STATIONED THE
SPECIAL SEA AND REPLENISHMENT DETAIL.
COMMENCED PREPARATIONS FOR REFUELING
FROM USS KAWISHIWI (AO-146). #1515 COMMENCED
MANUVERING TO TAKE STATION 1000 YDS
ASTERN OF USS KAWISHIWI (AO-146). 1526
ON STATION, REPLENISHMENT COURSE 320°
REPLENISHMENT SPEED 12 KTS. 1527
COMMENCED APPROACH. THE CAPTAIN IS ON
THE BRIDGE, CWOZ SCHLEICHERT HAS THE
CONN. 1530 ON STATION ALONGSIDE STBD
SIDE OF KAWISHIWI. FIRST LINE OVER.
1534 RECEIVED FIRST FUEL HOSE. 1537
COMMENCED RECEIVING FUEL. 1609 FUELING
COMPLETED. RECEIVED 85,323 GALS NSFO.
1650 ALL LINES AND HOSES CLEAR.
COMMENCED MANUVERING TO CLEAR THE SIDE
OF KAWISHIWI. 1653 CLEAR OF KAWISHIWI.
SECURED THE REPLENISHMENT DETAIL.
 $\% 283$. $\% 25$ KTS.

K.M. Schleichert
K.M. SCHLEICHERT
CWOZ USN

17-22 UNDERWAY AS BEFORE. 2105 ARRIVED AT
POINT ALLISON DMZ SOUTH VIETNAM AND
RESUMED NSPS DUTIES. 2135 C/S 3 KTS
C/C 3150.

D.M. Reinerson
D.M. REINERSON
LT USN

22-24 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES
AT VARIOUS SPEEDS WHILE STEERING A TRACK
PARALLEL TO THE COASTLINE AND THREE MILES
DISTANT FROM THE MOUTH OF THE CUA VIET
RIVER. 2225. COMMENCED HARASSMENT FIRE AT
TARGETS ASHORE. 2335 CEASED FIRING. AMMUNITION
EXPENDED: 32 ROUNDS 5"/54 CAL. HC PROJECTILES
WITH 32 ROUNDS NACO POWDER WITH NO CASUALTIES.

J.A. Phelan
J.A. PHELAN
LT USN

EXAMINED:

R.C. Wilson LT

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16) ZONE DESCRIPTION -8H DATE FRIDAY 25 FEBRUARY 19 72
(Day) (Date) (Month)

AT/PASSAGE FROM I MR. REPUBLIC OF VIETNAM TO

POSITION	ZONE	TIME
0800		
116°-55'N	BY 2	
1107°-16.5E	BY 2	

POSITION	ZONE	TIME
1200		
116°-48.3N	BY 2	
1107°-44.3E	BY 2	

POSITION	ZONE	TIME
2000		
116°-56'5N	BY 2	
1107°-15.5E	BY 2	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH CONVENTION'S QUARTERLY EMPLOYMENT SCHEDULE OPERATING OFF THE COAST OF I MR. REPUBLIC OF VIETNAM AS A UNIT OF TU 708.9, SOPA AND COTI IS CTU 708.9 EMBARKED ON THIS SHIP. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STEERING A TRACK PARALLEL TO THE COASTLINE AND THREE MILES DISTANT FROM THE MOUTH OF THE CHA VIET RIVER. CONDITION OF READINESS THREE AND MATERIAL CONDITION Yoke Set. THE SHIP IS DARKENED EXCEPT FOR NAVIGATION LIGHTS. 0044 COMMENCED HARASSMENT FIRE AT TARGETS ASHORE.

J.A. Phelan
J.A. Phelan
LT USN

03-07 UNDERWAY AS BEFORE, 0434 CEASED FIRING. AMMUNITION EXPENDED: 58 ROUNDS OF 5"154 CAL. HIGH EXPLOSIVE PROJECTILES WITH 58 ROUNDS FULL SERVICE FLASHLESS POWDER CARTRIDGES WITH NO CASUALTIES. 1/2 1000 1/2 10 KTS. 0450 1/2 1800 0518 1/2 1900 1/2 3 KTS. 0524 1/2 2900 0547 1/2 0800 0605 1/2 3100 0608 1/2 2900 0650 1/2 0800 0703 1/2 0700

K.M. Schleichert
K.M. SCHLEICHERT
CW02 USN

07-12 UNDERWAY AS BEFORE 0715 1/2 340 0820 1/2 10 KTS. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO POSITION SHIP TO RECEIVE GIG FROM USS R.B. ANDERSON (DD786). 0840 GIG ALONGSIDE STARBOARD QUARTER TRANSFERRED MAIL AND MOVIES 0905 GIG DEPARTED 1/2 105 1/2 10 KTS 0909 1/2 20 KTS 0954 1/2 095 1000 SET THE SPECIAL SGA AND REPLENISHMENT DETAIL COMMENCED PREPARATIONS FOR REFUELING FROM USS HALEAKALA (AE-23) 1013 MANEUVERING TO TAKE STATION ASTERN USS HALEAKALA (AE-23) 1022 ON STATION, REPLENISHMENT COURSE 100, SPEED 12 KTS. COMMODORE, CAPTAIN, EXECUTIVE OFFICER AND NAVIGATOR ARE ON THE BRIDGE. 1024 COMMENCED APPROACH, 00D CONNING 1027 CAPTAIN HAS THE CONN. 1031 ON STATION ALONGSIDE STARBOARD.

EXAMINED

R.E. Wilson Jr

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STEAUSS (DDG-16)

DATE FEB 25 FEB 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

09-12 (CONTINUED) SIDE OF HALEAKALA 1032 OOD WAS THE
CONN. 1038 FIRST LINE OVER. 1041 COMMENCED
LOADING AMMUNITION. 1102 COMPLETED LOADING
AMMUNITION, HAVING RECEIVED FROM USS HALGAKALA
(AC-25) 3000 ROUNDS 5"1/4 CAL PROJECTILES
AND 3000 5"1/4 FLASHLESS CHARGES. 1113 ALL
LINES CLEAR. MANEUVERING TO CLEAR STARBOARD
SIDE OF HALEAKALA. 1115 CLEAR OF HALEAKALA.
1117 SECURED THE REPLENISHMENT DETAIL. 9/280°
4/5 25 KTS.

[Signature]
D. M. KANVISON
LT USN

12-17 UNDERWAY AS BEFORE. 1220 C/C 283° 1240 4/5 285°
1245 4/5 20 KTS 1253 4/5 15 KTS 1300 4/5 296° 1313
4/5 10 KTS 1322 C/C 000° 1324 4/5 3 KTS STEERING
ON VARIOUS COURSES AT VARIOUS SPEEDS APPROX-
IMATELY 3 MILES FROM THE MOUTH OF THE
CUA VIET RIVER WHILE PATROLLING SECONDARY
NBFS. FIRING SHIP STEERING AREA. 1624 4/5 250°
1640 4/5 10 KTS PROCEEDING TO PRIMARY NBFS
SHIP STATION. 1643 ON STATION APPROXIMATELY
THREE MILES FROM THE MOUTH OF THE CUA VIET
RIVER. STEERING ON VARIOUS COURSES AT VARIOUS
SPEEDS WHILE PATROLLING AREA.

[Signature]
S. A. RIZAN
LT USN

17-22 UNDERWAY AS BEFORE. 1837 LARGE EXPLOSION
DIRECTLY OVERHEAD AT AN ESTIMATED
ALTITUDE OF 1000 FT. TENTATIVELY EVALUATED
AS A MISSILE. SOUNDED GENERAL QUARTERS.
COMMENCED EVASIVE STEERING ON VARIOUS
COURSES AND SPEEDS. 1840 MATERIAL CONDITION
ZEBRA IS SET THROUGHOUT THE SHIP. 1919 MATERIAL
CONDITION YOKE IS SET THROUGHOUT THE SHIP.
SECURED FROM GENERAL QUARTERS. SECURED
EVASIVE STEERING. 1922 4/5 270° 4/5 3 KTS.
1932 4/5 090° 4/5 10 KTS. 1939 4/5 3 KTS. 2013 4/5 110°
2016 4/5 260° 4/5 10 KTS. 2021 4/5 3 KTS. 2046 4/5 090°
4/5 10 KTS. 2051 4/5 3 KTS. 2102 4/5 100°

[Signature]
K. M. SCHLEICHERT
CW02 USN

22-24 UNDERWAY AS BEFORE. 2325 COMMENCED
HARRASSMENT FIRE INTO DMZ. FIRED 6 ROUNDS
HIGH CAPACITY. 2352 4/5 250° 4/5 3 KTS.

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DD-576) DESCRIPTION BH DATE FRIDAY 2 FEBRUARY 1972
(Day) (Date) (Month)

AT/PASSAGE FROM MRI, REPUBLIC OF VIETNAM

POSITION	ZONE	TIME
D800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>16°-56.5'N</u>	BY <u>2</u>	
λ <u>107°-15.5'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

[Signature]
D. M. REINERSON
LT USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (MAC-70) DESCRIPTION BH DATE SATURDAY 26 FEBRUARY, 19 72
(Day) (Date) (Month)
AT/PASSAGE FROM MRT, REPUBLIC OF TO VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16°-55.7N</u>	BY <u>2</u>	
λ <u>107°-15.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16°-54.1N</u>	BY <u>2</u>	
λ <u>107°-17.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16°-55.5'N</u>	BY <u>2</u>	
λ <u>107°-14.9E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT'S QUARTERLY EMPLOYMENT SCHEDULE OPERATING OFF THE COAST OF THE REPUBLIC OF VIETNAM IN MILITARY REGION I. AS A MEMBER OF TU 70.8.9. SOPA AND OLC IS CTR 70.8.9 FEM-BARKED THIS SHIP. STEERING VARIOUS COURSES AND MAKING VARIOUS SPEEDS WHILE CONDUCTING JIGS. CONDITION OF READINESS IS THREE AND MATERIAL CONDITION YOKO L152. THE SHIP IS DARKENED AND RUNNING LIGHTS ARE DIM. FIRED 36 ROUNDS OF HIGH CAPACITY 5 IN 54 CAL THIS WATCH.

[Signature]
D. A. REINERSON
LT USN

03-07 UNDERWAY AS BEFORE. 0559 COMPLETED HARASSMENT FIRE AT TARGETS ASHORE. AMMUNITION EXPENDED: 44 ROUNDS 5" 54 CAL HC PROJECTILES WITH 44 ROUNDS NABO POWDER WITH NO CASUALTIES.

[Signature]
J. A. PHILAN
LT USN

07-12 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE MAINTAINING STATION IN AN AREA BETWEEN 2 1/2 AND 5 MILES OFFSHORE AND 1 1/2 MILES NORTH TO 3 1/2 MILES SOUTH OF THE CAU VIET RIVER, REPUBLIC OF VIETNAM, WHILE AWAITING A CALL FOR FIRE. 0837 COMMENCED FIRING TO STBD WITH MT. 51. 0845 CEASED FIRING. AMMUNITION EXPENDED: 38 ROUNDS 5" 54 CAL. HIGH EXPLOSIVE PROJECTILES WITH 38 ROUNDS FULL SERVICE POWDER CARTRIDGES WITH NO CASUALTIES. PRELIMINARY GUN DAMAGE EVALUATION: 2 LARGE SECONDARY EXPLOSIONS, 3 SMALL SECONDARY EXPLOSIONS, 1 VIET CONG FLAG DESTROYED. 0848 RECEIVED THE DAILY MUSTER REPORT; NO NEW UNAUTHORIZED ABSENTEES. 1055 COMMENCED FIRING TO STBD WITH MT. 51. 1123 CEASED FIRE. AMMUNITION EXPENDED: 25 ROUNDS 5" 54 CAL. HIGH EXPLOSIVE PROJECTILES WITH 25 ROUNDS FULL SERVICE FLASHLESS POWDER WITH NO

EXAMINED

[Signature] Lt

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STEAUS (DDG-16)

DATE SAT 26 FEB, 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

07-12 (CONTINUED) CASUALTIES.

K.M. Schleichert
K.M. SCHLEICHERT
CW02 USN

12-17 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND MAKING VARIOUS SPEEDS WHILE STANDING BY FOR CALL FIRE MISSIONS.

R.M. Robertson
R.M. ROBERTSON
LT USN

17-22 UNDERWAY AS BEFORE. 2001 COMMENCED HARRASEMENT FIRE AT TARGETS ASHORE.

J.A. Pagan
J.A. PAGAN
LT USN

22-24 UNDERWAY AS BEFORE. CONDUCTING HARRASEMENT FIRE ON DESIGNATED TARGETS ASHORE. 2359 TOTAL AMMUNITION EXPENDITURE; 75 ROUNDS 5"1/4 CAL HIGH EXPLOSIVE PROJECTILES WITH 75 ROUNDS FULL SERVICE FLASHLESS POWDER CARTRIDGES WITH NO CASUALTIES.

K.M. Schleichert
K.M. SCHLEICHERT
CW02 USN

EXAMINED:

R.E. Wilson Lt

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16) ZONE DESCRIPTION -8H DATE SUNDAY 27 FEBRUARY 19 72
(Day) (Date) (Month)

AT/PASSAGE FROM I MILITARY REGION, TO REPUBLIC OF VIETNAM

POSITION	ZONE	TIME
0800		
<u>16°-55.6'N</u>	BY <u>2</u>	
<u>107°-16.6'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
<u>16°-55.9'N</u>	BY <u>2</u>	
<u>107°-17.3'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
<u>16°-09.7'N</u>	BY <u>2</u>	
<u>108°-06.3'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

07-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY
EMPLOYMENT SCHEDULE OPERATING OFF THE COAST OF
I MR, REPUBLIC OF VIETNAM AS A UNIT OF TU 70.8.9.
SOPA AND OTC IS CTU 70.8.9 EMBARKED ON THIS
SHIP STEERING VARIOUS COURSES AT VARIOUS SPEEDS
WHILE MAINTAINING STATION FOR SHORE BOMBARDMENT
IN A TRIANGLE BOUNDED BY LINES DRAWN BETWEEN
COORDINATES 16°56'20"N/107°13'00"E, 16°56'20"N/
107°16'15"E AND 16°53'00"N/107°16'15"E. CONDITION
OF READINESS IS THREE AND MATERIAL CONDITION
YOKE IS SET. THE SHIP IS DARKENED EXCEPT FOR
NAVIGATION LIGHTS. 0630 COMMENCED HARASSMENT
FIRE WITH MT. 52.

K.M. Schleichert
K.M. SCHLEICHERT
CWO2 USAI

03-07 UNDERWAY AS BEFORE. 0530 COMPLETED
HARASSMENT FIRE. 158 ROUNDS OF HIGH CAPACITY
5"INCH 54 CAL. EXPENDED ON 30 SELECTED
TARGETS. 0648 90 200° 0653 90 3 KTS.

D. M. REYNOLDS
LT. USN

07-12 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES
AT VARIOUS SPEEDS WHILE MAINTAINING STATION
FOR SHORE BOMBARDMENT. 0740 MUSTERED THE CREW AND USN ABSENTIES

J.A. Felt
J.A. FELT
LT USN

12-17 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND
SPEEDS WHILE MAINTAINING STATION FOR SHORE
BOMBARDMENT. 1525 COMMENCED FIRING WITH MT. 51.
1624 CEASED FIRE. AMMUNITION EXPENDED; 66 ROUNDS
5"INCH 54 CAL. HIGH EXPLOSIVE PROJECTILES WITH 66 ROUNDS
FULL SERVICE FLASHLESS POWDER CARTRIDGES WITH NO
CASUALTIES. NO GUN DAMAGE ASSESSMENT AVAILABLE.
1625 DEPARTED SHORE BOMBARDMENT STATION.
COMMENCED MANEUVERING AT VARIOUS COURSES AND
SPEEDS WHILE PROCEEDING TO RENDEZVOUS WITH
USS ASHTABULA (AO-51). 1711 STATIONED THE REFUELING DETAIL.

K.M. Schleichert
K.M. SCHLEICHERT

EXAMINED

T.E. Wilson LT

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

SUNDAY FEBRUARY 27, 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

12-17 (CONTINUED)

CWO2

USN

17-22 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES
AND MAKING VARIOUS SPEEDS WHILE STANDING BY FOR
NOPS.

[Signature]
D.M. REVERSON
LT USN

22-24 UNDERWAY AS BEFORE. 2324 COMMENCED HARASSMENT
FIRE AT TARGETS ASHORE. 2339 CEASED FIRING. AMMUNITION
EXPENDED: 15 ROUNDS 5" 64 CAL HC PROJECTILES JAP
WITH 15 ROUNDS WACO POWDER WITH NO CASUALTIES.

[Signature]
J.A. PHELPS
LT USN

EXAMINED:

[Signature] R.C. Wilson LT

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG 61) ZONE DESCRIPTION -8H DATE MONDAY 28 FEBRUARY, 19 72
(Day) (Date) (Month)

AT/PASSAGE FROM I MR, REPUBLIC OF VIETNAM TO

POSITION	ZONE	TIME
0800		
116° 53.4' N	BY 2	
1107° 16.6' E	BY 2	

POSITION	ZONE	TIME
1200		
116° 55.2' N	BY 2	
1107° 22.5' E	BY 2	

POSITION	ZONE	TIME
2000		
116° 55.4' N	BY 2	
1107° 16.5' E	BY 2	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-03 UNDERWAY IN ACCORDANCE WITH CONSEQUENT FLT
QUARTERLY EMPLOYMENT SCHEDULE OPERATIONS OFF
THE COAST OF I MR, REPUBLIC OF VIETNAM AS
A UNIT OF TH 708.9, SOPA AND OTC IS CTH 708.9
EMBARKED ON THIS SHIP STEERING VARIOUS
COURSES AT VARIOUS SPEEDS WHILE MAINTAINING
STATION FOR SHORE BOMBARDMENT IN A TRIANGLE
BOUNDED BY COORDINATES 16° 56' 20" N / 1107° 13' 00" E
16° 50' 20" N / 1107° 16' 15" E AND 16° 53' 00" N / 1107° 16' 15" E.
CONDITION OF READINESS THREE AND MATERIAL
CONDITION YORE SET THE SHIP IS DARKENED EXCEPT
FOR NAVIGATION LIGHTS. 0459 COMMENCED BOMBARDMENT
FIRE AT TARGETS ASHORE

J.A. Phelan
J.A. Phelan
LT USN

03-07 UNDERWAY AS BEFORE. 0530 CEASED FIRE. AMMUNITION
EXPENDED: 600 ROUNDS OF 5" / 54 CAL. HIGH EXPLOSIVE
PROJECTILES WITH 100 ROUNDS FULL SERVICE
FLASHLESS POWDER CARTRIDGES WITH NO CASUALTIES
NO GUN DAMAGE ASSESSMENT AVAILABLE.

K.M. Schleicher
K.M. SCHLEICHER
CWO2 USA

07-12 UNDERWAY AS BEFORE. 0652 C/L 080° 0714
C/S 10 KTS C/L 210° 0717 1/2 3 KTS 0800 C/L 110°
C/S 15 KTS 0803 COMMENCED PREPARATIONS FOR
REPLENISHING FROM USS WHITE PLAINS (AES4)
0832 COMMENCED SOUNDING FOG SIGNALS 0838
SECURED FOG SIGNALS. 0852 RECEIVED DAILY MUSTER
REPORT. NO NOW ABSENTEES. 0855 CAPTAIN HAS
THE COMM. 0857 STATIONED THE REPLENISHMENT
DETAIL. MANEUVERING TO TAKE STATION ASTERN
USS WHITE PLAINS (AES4). 0908 ON STATION.
REPLENISHMENT COURSE 030° SPEED 12 KTS. 0912
COMMENCED APPROACH. COMMANDER, EXECUTIVE OFFICER
AND NAVIGATOR ARE ON THE BRIDGE. 0913 ON STATION
ALONGSIDE PORT SIDE OF WHITE PLAINS. 0915 FIRST
LINE OVER. 0922 COMMENCED VERTICLE REPLENISH-
MENT FROM HELICOPTER LAUNCHED FROM USS
WHITE PLAINS (AES4). 0945 RECEIVED FIRST
WATER HOSE. 0951 COMMENCED RECEIVING

EXAMINED

T.E. Williams Jr

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

MONDAY FEBRUARY 28 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

07-12 (CONTINUED) WATER. 1016 SECURED VERTICLE REPLENISHMENT BY HELICOPTER. 1022 SECURED RECEIVING WATER. 1029 ALL LINES AND HOSES CLEAR. MANEUVERING TO CLEAR PORTSIDE OF USS WHITE PLAINS (AES 4) 1032 CLEAR OF WHITE PLAINS. 1045 SECURED REPLENISHMENT DETAIL. 1056 OOD HAS THE CONN. 1057 @ 25 KTS 1058 @ 25.8°

D.M. REYNOLDS
D.M. REYNOLDS
LT USN

12-17 UNDERWAY AS BEFORE 1207 @ 24 KTS 1212 @ 26.5° 1214 @ 28.0° 1216 @ 15 KTS 1224 @ 31 KTS 1208 @ 4 KTS 1235 @ 0° STEERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STEERING A TRACK APPROXIMATELY 3 MILES DISTANT FROM THE MOUTH OF THE CHIA VIET RIVER. 1622 COMMENCED FIRING SPOTTED GAIL FOR FIRE MISSION AT TARGETS ASHORE. 1645 CEASED FIRING. AMMUNITION EXPLODED. 34 ROUNDS 5" / 54 CAL HC PROJECTILES WITH 34 ROUNDS NAPO POWDER WITH NO CASUALTIES.

J.A. Phelan
J.A. Phelan
LT USN

17-22 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND SPEEDS WHILE MAINTAINING SHORE BOMBARDMENT STATION.

K.M. Schleichert
K.M. SCHLEICHERT
CW02 USN

22-24 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND MAKING VARIOUS SPEEDS WHILE CONDUCTING HARASSING FIRE. 2239-2351 FIRED 20 ROUNDS OF HIGH CAPACITY SIN 54 CAL AMMUNITION.

D.M. REYNOLDS
D.M. REYNOLDS
LT USN

EXAMINED:

R. Wilson LT

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS DD-161 DESCRIPTION "B.H." DATE WEDNESDAY 29 FEBRUARY 1972
(Day) (Date) (Month)
AT/PASSAGE FROM MILITARY REGION NRI TO DMZ SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
16°55.2'N	BY 2	
107°17.5'E	BY 2	

POSITION	ZONE	TIME
1200		
16°54.4'N	BY 2	
107°20.3'E	BY 2	

POSITION	ZONE	TIME
2000		
16°55.2'N	BY 2	
107°16.8'E	BY 2	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IAW CONVENTIONAL QUARTERLY
EMPLOYMENT SCHEDULE OPERATING AS A UNIT
OF TU 70.8.9 OFF THE COAST OF VIETNAM
(REPUBLIC OF) IN MRT. SOPA AND DTC 15CTU
70.8.9 EMBARKED THIS UNIT, STEERING VARIOUS
COURSES AND MAKING VARIOUS SPEEDS WHILE
MAINTAINING STATION FOR SHORE BOMBARDMENT
IN AN AREA BOUNDED BY COORDINATES 16°15'2"N/
107°13'00"E, 16°56'20"N/107°16'15"E AND
16°53'00"N/107°13'00"E. CONDITION OF STEAMERS
IS THREE AND MATERIAL CONDITION VOKES SET.
THE SHIP IS DARK ENED WITH THE EXERCISE
OF BRIGHT NAVIGATION LIGHTS. 0001 COMMENCED
HARASSMENT FIRE FIRED 20 ROUNDS
OF HIGH CAPACITY 5 INCH-54 CAL AMMUNI-
TION THIS WATCH.

[Signature]
D. A. REYNOLSON
LT USN

03-07 UNDERWAY AS BEFORE. 0318 COMMENCED HARASSMENT
FIRE AT TARGETS ASHORE. 0543 COMPLETED HARASSMENT
EXERCISE. 20 ROUNDS 5" 54 CAL HC PROJECTILES WITH
20 ROUNDS NACO POWDER WITH NO CASUALTIES.

[Signature]
J. A. PHILLAN
LT USN

07-12 UNDERWAY AS BEFORE. 0720 % 030° % 15 KTS. 0722 % 3 KTS.
0755 % 000° % 10 KTS. 0758 % 3 KTS. 0802 % 210°
0809 % 15 KTS. % 030° 0812 % 5 KTS. 0825 % 090°
% 15 KTS. 0837 % 210° % 3 KTS. 0920 % 15 KTS.
% 030° 0924 % 3 KTS. 1015 % 325° % 15 KTS.
1030 RECEIVED THE DAILY MUSTER REPORT; NO NEW
UNAUTHORIZED ABSENTEES. 1035 % 200° % 5 KTS
1043 % 205° % 6 KTS. 1106 % 030° % 15 KTS.
1108 % 3 KTS.

[Signature]
K. M. SCHLEICHERT
K. M. SCHLEICHERT
CW02 USN

12-17 UNDERWAY AS BEFORE STEERING VARIOUS COURSES
AND MAKING VARIOUS SPEEDS WHILE STEAMING
ON SECONDARY WERS STATION MRT POINT
ALONG DMZ. 1650 % 250° % 12 KTS WHILE

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS JOSEPH STRAUSS (DDG-16)

TUESDAY 29 FEBRUARY 1972
(Day) (Date) (Month)

REMARKS—CONTINUED

12-12 (CONTINUED) ASSUMING PRIMARY NGFS STATION
~~J. M. REVERSON~~
J. M. REVERSON
LT USN

17-22 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES
AT VARIOUS SPEEDS WHILE STEERING IN PRIMARY
NGFS STATION. 242 COMMENCED HARASSMENT FIRE
AT TARGETS ASHORE.

J. A. PHELAN
J. A. PHELAN
LT USN

22-24 UNDERWAY AS BEFORE. 2317 CEASED FIRE AMMUNITION
EXPENDED; 20 ROUNDS 5"/54 CAL. HIGH EXPLOSIVE
PROJECTILES WITH 20 ROUNDS FULL SERVICE
FLASHLESS POWDER CARTRIDGES. NO CASUALTIES.
NO GUN DAMAGE ASSESSMENT AVAILABLE.

R. M. SCHLEICHERT
R. M. SCHLEICHERT
CW02 USN

EXAMINED:

J. C. Wilson Lt

U. S. N. NAVIGATOR